HEALTH & HUMAN SERVICES AGENCY EMERGENCY MEDICAL SERVICES

COUNTY OF SAN DIEGO EMERGENCY MEDICAL SERVICES POLICY/PROCEDURE/PROTOCOL

SUBJECT: TREATMENT PROTOCOL - PAIN MANAGEMENT

No. <u>S-141</u> Page: <u>1 of 2</u>

Date: 7/1/2019

BLS ALS

- Assess level of pain
- Ice, immobilize, and splint when indicated
- Elevation of extremity trauma when indicated
- Continue to monitor and reassess pain using standardized pain scores
- Document vital signs before and after each medication administration

Special Considerations for All Pain Medications:

- 1. Changing route of administration requires BHO (e.g., IV to IM or IM to IN)
- 2. Changing analgesic requires BHO (e.g., changing from fentanyl to ketamine)
- 3. Treatment if BP <100 requires BHO
- 4. BHPO required for:
 - Isolated head injury
 - Acute onset severe headache
 - Drug/ETOH intoxication
 - Major trauma with GCS <15
 - Suspected active labor

For MILD pain (score 1 - 3) or MODERATE pain (score 4 - 6):

- without severe hepatic impairment or active liver disease

Acetaminophen: 1000 mg IV over 15 minutes SO

For MODERATE pain (score 4 - 6) or SEVERE pain (score 7 - 10):

- or refusal / contraindication to acetaminophen or ketamine

FENTANYL:

If <65 years of age:

- Fentanyl up to 50 mcg IV SO
- MR 25 mcg IV q5 minutes x2 SO
- Maximum total SO dose 100 mcg IV

INTRANASAL DOSING:

- Fentanyl 50 mcg IN q15 minutes x2 SO
- 3rd dose fentanyl 50 mcg IN BHO

If >65 years of age:

- Fentanyl 25 mcg IV SO
- MR 25 mcg IV q5 minutes x2 SO
- Maximum total SO dose is 75 mcg IV

INTRANASAL DOSING:

- Fentanyl 25 mcg IN q15 minutes x2 SO
- 3rd dose fentanyl 25 mcg IN BHO

Special considerations for Cardiac Chest Pain & Cardiac Pacing:

• Fentanyl 25 mcg IV x1 SO

MORPHINE, If fentanyl unavailable:

- Morphine 0.1 mg/kg IV SO
- MR in 5 minutes at half of the initial IV dose SO
- MR in additional 5 minutes at half of the initial IV dose BHO

HEALTH & HUMAN SERVICES AGENCY EMERGENCY MEDICAL SERVICES

COUNTY OF SAN DIEGO EMERGENCY MEDICAL SERVICES POLICY/PROCEDURE/PROTOCOL

SUBJECT: TREATMENT PROTOCOL - PAIN MANAGEMENT

No. <u>S-141</u> Page: <u>2 of 2</u>

Date: 7/1/2019

BLS ALS

INTRAMUSCULAR DOSING:

- Morphine 0.1 mg/kg IM SO
- MR in 15 minutes at half of the initial IM dose SO
- MR in additional 15 minutes at half of the initial IM dose BHO

Special considerations for Cardiac Chest Pain & Cardiac Pacing:

• Administer morphine 0.05 mg/kg IV x1 SO

Additional option for trauma, burns, or envenomation injuries:

For MODERATE-SEVERE pain (score ≥ 5):

KETAMINE requirements:

≥15 years old

AND with GCS of 15

AND not pregnant

AND no known or suspected alcohol or drug intoxication

AND have not received opioid analgesic in past 6 hours (prior to medic arrival)

- Ketamine 0.2 mg/kg in 100 ml of NS SLOW IV drip over 15 minutes <u>SO</u> Maximum for any IV dose is 20 mg
- MR x 1 in 15 minutes if pain remains MODERATE or SEVERE SO

INTRANASAL DOSING:

- Ketamine 0.5mg/kg IN (50 mg/ml concentration) <u>SO</u> Maximum for any IN dose is 50 mg
- MR x 1 in 15 minutes if pain remains MODERATE or SEVERE SO